INDEX

Page numbers printed in black-faced type refer to headings of articles or of sections. Numbers in italics indicate references included in lists of "Literature cited."

Aberrant ratios 473, 489
Abies 310, 318, 319, 320
Abies balsamea 311
Abnormal abdomen, Drosophila 460, 463
Abnormal chromosome distribution (see non-disjunction, triploidy, tetraploidy) 471
Abnormal factors 480
Abnormality 107, 462, 467, 494
  Mitotic 486
Abnormal ovum, fowl 279
Abnormal pedicels, Spiraea 337–340, 350
Aborted antennae, Drosophila 110
Aborted ovules, Oenothera (see also sterility) 216
Abraxas 483
Absence vs. latency 405, 431
Accelerated growth 292, 364
Accessory chromosome 251, 588
Accessory factor 427
Achete, Drosophila 156
Acquired characters 535
Activating agent 291
Active vs. inactive condition (see also latency) 404
ADAMS, J., 356, *365*
Adaptation 490
AGAR, W. E. 174, *198*
Age, effect on coincidence 147
Albinism, mice 349, 603
Algae, reduction division 309, 310
Allelomorphic pairs of characters, mice 573
ALLEN, C. E. 310 *325*
ALLEN, R. F. 310, *325*
ALTENBURG, E. 148, *158*, 463
Althaea ficifolia 300
Althaea rosea 300
Amblystegium serpens bivalens 93
Amblystegium subtile bivalens 93
AMELUNG, E. 207, 208, *224*
AMICI, G. B. *365*
Anaerotropism in pollen tubes 355
Ancestral correlations, Centropyxis 176, 183, 185, 186, 196
Ancestral inheritance, law of 198
Andalusian fowl 425, 482
ANDRONESCU, D. I. 356, *365*
Apetalous mutant, Oenothera 4, 5
Aphids 174
Apogamy 310
Arisarum 331, 350
Artificial media, pollen growth on 355, 362, 363
Artificial selection 476, 477, 494
ARZBERGER, E. G. 97
Ascomycetes, nuclear fusions 310
Asexual reproduction (see also fission, parthenogenesis and vegetative reproduction) 173, 181
Aspidium 320, 321
Aspidium falcatum 310
Association (see also correlation) 509, 531, 574, 588, 590
Assortative mating 78, 79, 83, 332
ATKINSON, G. F. 311, 319, *325*
Atrophic foetuses, mice 575
Autocatalytic reaction (pollen-tube growth) 363
Autosomes 465, 466, 483, 496

Bacteria 174
BAITSELL, G. A. 535, 554, *572*
Balanced lethal factors 20, 422, 467, 468–489, 495–499
Balanced selection 537
BANTA, A. M. 293, *294*
BARBER, M. A. 174, *198*
Barred Plymouth Rock fowl 28
BARTLETT, H. H. 1, 2, 19, 20, *26*, 93, 96, 97, 98, 104, *105*, 207, 209, 210, 212, 215, 221, *224*, 397, 402, *421*, *corrigenda*
BATCHELOR, L. D. 300, *307*
BATESON, W. 210, *224*, 404
Behavior and the gonadial secretions, domestic fowl, 277, 288, 291, 294
BELLING, J. *497*
Beneficial factors 476–479, 496
Bimodal curve 221–224
Binary crosses 410, 420
Binomial distribution 577, 581, 589, 601, 603, 604
Biotypes 174
BLACKMAN, V. H. 310, *325*
BLAKESLEE, A. F. 27, 29, 54, *72*, 332, *352*
BLARINGHEM, L. 2, 3, 12, *26*
Blending inheritance 311, 434
Bone lengths, rabbits 367–374
Brachicephaly 369
Breeding problems, mathematics of 73–92, 375–389, 390–396
BRIDGES, C. B. 111, 116, 132, 133, *134*, 136, 137, 138, 139, 140, 147, 148, *158*, 461, 463, 481, 484, *497*, *498*
Brooding of chicks by capons 289, 291
Brother-and-sister mating 80, 391–396
Bryum 93
Buckwheat, nanism 208
Bud mutations 225
Budding 174
BULLARD, C. 336, *352*
Bullhead carnations 300

Burragea 212
"Buster" carnations 300, 301
Butterflies, extra chromosome-divisions 491, 492

CALKINS, G. N. 535, *572*
Capon 277–282, 288, 289, 291, 292, 296, 297
Capsule length, Oenothera 213–219, 223 224
CARD, L. E. 29, *72*
Carnation 300, 301, **337**, 350
CAROTHERS, E. E. 588, *597*
CASTLE, W. E. 367, 368, *374*, *497*, 573, *597*
Catalyser produced by pollen nucleus 364
Celastrus 331
Cell giants 97, 99, 105, 209, 218
Cell size **93**–106, 133, 207–210, 218–224
Centropyxis aculeata **173**–206
  Diverse clones **181**–186
  Variety *discoides* 176
Cercis canadensis 331
CHAMBERLAIN C. J. 310, 311, 320, *325*
Chance deviations (see also fluctuations) 577, 579, 585, 589, 599, 600
Chance recombination 574
Chelidonium majus **300**–307
Chemotropism and pollen-tube growth 355, 356, 358, 363
Chiasmatype 135, 136
Chimaera 223, 224
CHRISTMAN, A. H. 310, *325*
Chromosome degeneration 480–486, 496, 499
Chromosomes, diminutive 228, 251, 252, 255
Chromosome fragmentation 231–273
Chromosomes independent 320
Chromosome individuality 225, 234, 235, **254**, 255–260
Chromosomes in fertilization
  Fritillaria **312**–315, 318–324
  Triticum **315**–323, 326
Chromosome maps 131, 136–138, **144**, 145, 147, 441
Chromosome measurement **233**
Chromosome multiplication 250
Chromosome number 4, 7, 99, 208–210, 218, 229, 230, 312, 314, 323
  Variations in **225**–275
Chromosome reduction 474
Chromosomes split longitudinally 231, 318, 323
Chromosomes unpaired 316
Circaea 211
Circaea alpina 212
Circaea Lutetiana 212
Clarkia 209, 210
Clones 173–**181**–**186**–199, 534–572
Coefficients of correlation 30, 175, 176, **328**–351, 368–373
  Centropyxis 183–188, 195, 196
  Chelidonium 301–306
  Domestic fowl 32, 46, 49, 53–65, 70
  Rabbits 368–373
Coefficient of purity, beet juice 346, 348
Coefficients of variation
  Paramecium 334
  Sugar beets 346
  Trout 344
Coincidence of crossing over **135**–172, 440, 441
Coin-tossing 588, 605
Coleus 197
Color factors, rats and mice 573, 574
Color varieties of garden plants 2
Compatibility 354, 357–365
Compensation 535
Competition 477, 594
Complementary classes 587, 591, 592, 595
Complete linkage, numerical results 378, 380, 384, 388, 389
COMPTON, R. H. 364, corrigenda
Constant hybrids (see also enforced heterozygosis) 408, **420**, **422**, 434–436, 450, **468**, 469, 471, 497, 499
Contamination of factors 422, 423, **494**
Continuous variation 302, 306, 492, 494
Correlation **328**–351
  Carnations **337**
  Centropyxis 176, 183–188, 195, 196, 200–206
  Chelidonium 301–306
  Domestic fowl **27**–**71**, 332
  Drosophila 425
  Homogyne **336**
  Mice 349, 603
  Oenothera 517, **518**, **527**, 529–532
  Paramecium 332–334
  Phaseolus **340**–344
  Rabbits 367–373
  Robinia 331, 332
  Spiraea **337**–340
  Stylonychia 566
  Sugar beets **346**–348
  Swine **336**
  Trout **344**–345
  Wheat **348**
CORRENS, C. 356, *365*
CORTEZAO, ARMANDO 12
Cotyledons, Phaseolus, **340**–344
COUPIN, HENRI *365*
Coupling (see linkage) 574, 590
Crinum 331
Crossing over 320
  Drosophila melanogaster (*ampelophila*) **111**, 116, 131–**135**–172, 429–499
  Drosophila virilis **111**, **112**–**116**–134
  Oenothera 311
Crossover modifiers 133, **429**–**443**–**450**–453, 456, 458, 469, 470, 486–488, 490, 495
Crossover values
  Drosophila melanogaster (*ampelophila*)
    Garnet-forked 137
    Inflated-forked 157
    Lethal-yellow 156
    Ruby-forked 155
    Ruby-sable 155
    Star-black 147
    Star-curved 147
    Star-purple 147
    Star-speck 147
    Vermilion-sable 137
    Yellow-cleft 138
    Yellow-eosin 138
    Yellow-forked 132, 138
    Yellow-garnet 137

Yellow-ruby 138
Yellow-sable 137, 138
Yellow-vermilion 137
Drosophila virilis
Forked-glazed 121, 133
Forked-rugose 116, 125, 129
Frayed-vesiculated 126
Hairy-forked 122, 123
Magenta-forked 113, 118, 124, 127
Magenta-rugose 123, 130
Vesiculated-forked 115, 119, 125, 128, 129
Vesiculated-glazed 122, 128
Vesiculated-magenta 115, 120, 123, 124, 126, 127, 130, 133
Yellow-forked 114, 121, 132
Yellow-frayed 112
Yellow-glazed 133
Yellow-hairy 123
Yellow-magenta 114, 118
Yellow-vesiculated 113, 119, 120, 122, 127–130, 133
Cross-sterility 353, 357, 360, 363
Crowing instinct 291
Crumpled, Drosophila 462
Culex pipiens, chromosome multiplication 250
CURTIS, MAYNIE R. 28
Cycle of cell division 227
Cycles of egg production, Domestic fowl 29
Cypripedium 311

Daphnids 174
DARBISHIRE, A. D. 349, *351*, 574, *597*, 601, 603, *607*
Datura Stramonium 208
DAVENPORT, C. B. 367, *374*
DAVIS, B. M. 216, 218, *224*, 226, 227, 246, 256, 257, *260*, *261*, 311, 319, *325*, 411, 412, *421*, 472, *497*, **501**, 502, 503, 504, 529, *532*, *533*
Decapitated styles, fertilization in Nicotiana 363
Deficiencies 481, 485, 486
Deformed eye, Drosophila 430, 432–435, 451, 462, 463, 466
DEGAGNY, CHARLES *365*
Degeneration
Chromosomes 480–486, 496
Stylonychia 554, 564, 571
Delayed generation, Oenothera 502
Delayed synapsis 483
Depauperate plants 209, 210
Dependent variable **328**–352
DETLEFSEN, J. A. **573**, **599**, 600, 606, *607*
DE VRIES, HUGO 1, 2, 3, 7, 8, 24, *26*, 96, 104, *105*, 255, 256, 257, *261*, 301, *307*, **397**, 403, 404, 405, 407, 408, 409, 413, 414, 415, 419, *421*, 473, 498, *498*, 499, 501, 503, 504, 505, 508, 509, 510, 512, 517, 518, 520, 524, *533*
DEXTER, J. S. 426, 427, 428, 451, 453, 454, 457, 461, *498*
Dianthus barbatus 300
Dianthus caryophyllus 300
Dice-throwing 588

Diemyctylus 276
Differential mortality 472, 520, 525, 530, 531
Differential viability 350, 475
Difflugia 176, 197
DIGBY, L. 250, *261*
Dihybrid ratios 574, 576, **584**–586, 588–590, 592, 596, 597
Dilution, mice **590**
Diminishing ancestral correlation 176, 185, 186, 196
Dimorphism 94–96, 213, 399, 403, 408, 415
Disadvantageous mutations 464
Discontinuity
Cell division 493
Variation 49, 50
Division rate 185
Domestic animals 600
Domestic fowl **27**–71, **276**–295, 351
Barbules of the feathers 292, 293
Barred Plymouth Rock 28
Behavior **291**
Brooding instinct 289, 291
Crowing instinct 291
Gonadial secretions 277, 288, **291**, 294
Sexual activity 279, 280, 282
Singing 291
Body size **289**
Brown Leghorn 278, 280–283, 291, 292
Comb 278, 280, 282, 287, 288, 290, 292, 294
Lop 290
Rose comb 280
Single comb 282
Ear-lobe pigmentation 53, 55
Egg production **27**–71, 332, 351
Fat deposition 277
Feminized males **276**–297
Hackle feathers 280
Head furnishings **290**
Hen-feathered males 287, 293
Hermaphrodites 282, 285
Inhibition of spurs 291, 292
Intensification of male characters 289
Juvenile qualities 277
Plumage color **291**
Barring 294
Feminized males **291**
Golden red edging 278, 280
Salmon-colored breast 282, 283
Spangling 294
Stippling 283, 292
Plumage form 288, 289
Plumage length 280, 289, 292
Saddle feathers 293
Secondary sexual characters 285, 289
Sex characters 282
Size 278, **289**
Spurred females 292
Spurs 278, 279, 281, 288, **290**–292, 294
Tail feathers 280
Wattles 277, 278, 280, 287, 288, 290, 292, 294
White leghorn 332
Dominance 311
Partial 428, 453, 460, 495
Varying 437

Dominant mutants **460**–467, 483, 495, 496
Dominants and recessives, relative viability **349**, 350
Double crossing over
Drosophila melanogaster 136–143, 145–155, 159, 440, 445, 448, 449, 486
Drosophila virilis 111, 117–130, 134
Double fertilization 322
Double flowers
Althaea ficifolia 300
Althaea rosea 300
Chelidonium majus **300**–307
Dianthus barbatus 300
Dianthus caryophyllus 300, 301
Matthiola (stocks) 474, 475, 477, 497
Meconopsis cambrica 300
Petunia 300
Double fusion 320
Double reciprocal hybrids 15, 18, 19, 26, 410, 471, 508, 515, **517**, 518, 526, 531, 532
Double reduction, Abies 320
Doubling of chromosome number(tetraploidy) 1, 93, 105, 321, 323, 473
DRIESCH, H. 351
Drosophila ampelophila (=*D. melanogaster*, q. v.) 107, 111, 116, 131–134, **135**–172, 404, 422–499, 573, 574, 600
Drosophila melanogaster
Body color
Black 147, 148, 437, 454, 455, 459
Ebony 427, 429, 447, 448, 450, 451, 487, 488
Ebony-sooty compound 447, 448, 487
Gray 454
Sable 137–146, 149–155, 160–166
Sooty 428–432, 437–450, 453, 454, 458, 459, 469, 471, 481, 486–488
Streak 462, 463, 466
Yellow 132–134, 146, **156**, 157
Bristle character
Forked 132–134, 137–146, 149–153, 155–157, 159–172
Spineless 428–448, 453–456, 458, 459, 469, 470, 481, 486–488
Crossover modifiers 429–435, 439, 441–**450**–453, 456, 458, 459, 469, 470, 486–488, 490 495,
Eye color
Blood 494
Cherry 494
Eosin 139–146, 149–157, 159–172
Garnet 137, 138
Pink 427–435, 437, 439, 442–448, 451, 454–456, 459, 470, 481, 486–488
Purple 147, 148, 151, 454–456, 459
Red 470, 494
Ruby 139–146, 149–157, 159–172
Sepia 428–432, 437–446, 453, 458, 459, 461, 470, **481**, 486, 487
Vermilion 137, 138, 146
White 156, 494
Eye shape
Bar 139, 459, 460, 463
Deformed 462, 463, 466
Kidney 428–432, 437, 439, 442–449, 453, 458, 459, 469, 470, 481, 486–488
Lozenge 144, 145, 152, 156
Star 147, 151, 462, 463
Eye surface
Rough 428–432, 437–446, 448, 449, 453, 459, 469, 470, 481, 495
Inhibitors 435
Intensifiers 436, 441, 442, 453, 466
Lethals 422–441–460–467, 468–486–499
Lethal *sc* 139
Lethal to left of yellow 156
Semilethal 434, 435, 464, 472, 491, 496, l_{lm}, 436, 437, 447–452, 458, 465, 467, 469–470, 473, 486–488, 490, 495, 496
Wing character
Arc 454, 455, 459
Balloon 107
Beaded 422–497
Bifid 460
Cleft 139–146, 150–152, 155–157, 167–172
Curved 147, 151, 481
Dichaete 437–448, 458, 461–463, 486–489
Fused 145, 146, 156, 159
Miniature 146
Notch 460, 461, 463
Perfect notch 461
Speck 147, 151, 454, 455, 459, 481
Spread 429, 442, 443, 450, 451, 470
Strap 460
Truncate 463, 466, 496
Vestigial 454–456, 459, 495
Drosophila virilis **107**–134
Body color
Frayed (bands) 107–**112**, 113, 117, **125**–126, 131, 133
Yellow 107, 110–**112**–114, **117**, **118**, **119**, **120**, **121**, **122**, 123, 125–**127**, **128**, **129**, **130**–134
Bristle character
Bald 110
Forked 107–109, 111, 113–**116**, **117**, **118**–**120**–122–124, **125**, **127**, **128**, **129**, 131–134
Eye color
Magenta 107, **113**–**117**–**119**–**122**–124,**125**–**127**–**130**–133
Eye surface
Glazed 107–111, **116**, 117, **120**, **121**, 122, **128**–131, 133
Hairy 107–111, **116**, 117, **122**, 123, 131
Rugose 107, 111, **116**, 117, **122**–**125**, **129**, **130**, 131, 133
Wing character
Confluent 110
Vesiculated 107, 110, 111, 113–**118**–**121**, **122**, **124**, **125**–**127**, **128**, **129**, **130**, 131, 133
Ducks **285**–289, 294
Curl of tail feathers 285, 286
Feminized males **285**
Gray Call 285, 298
Head plumage 287
Mallards 285

Mandible color 285–289, 298
Neck ring 285, 286
Rouens 285, 287
Summer plumage 288
Voice 285–288
DUNCAN, F. N. 459, *498*
DURHAM, F. M. 581, 582, *597*
Dwarfs 208–212, 218, 220, 223, 407, 408, 504, 505, 513–516, 519, 525, 532
Buckwheat (Fagopyrum) 208
Clarkia 210
Datura Stramonium 208
Lathyrus odoratus 210
Oenothera franciscana×*Lamarckiana* mut. *nanella* 407, 408
Oenothera gigas 504, 505
Oenothera Lamarckiana×*brevistylis* 513–516, 519, 525, 532
Oenothera Reynoldsii 210–214, 220
Pisum 210
Solanum 210
Zea mays 210

Ear-lobe pigmentation, domestic fowl 52–56
EAST, E. M. 174, *198*, 321, 322, 323, *325*, **353**, *365*, 600, *607*
Egg production, domestic fowl **27–71**, 332, 351
ELDERTON, W. P. 144, *158*
EMERSON, R. A. 494, *498*
Empty seeds (see seed sterility) 3
Endosperm characters 312, 321
Endosperm nucleus 312, 315, 318, 323, 324
End-to-end conjugation 320, 321, 482
Enforced heterozygosis (see also constant hybrids) 468, **471**, 472, 475, **476**, 479–481, 485, 495
Environmental effects 219, 220, 289, 363, 426, 456, 457, 472, 525, 532, 536, 572
Environmental nanism 208
Epidermal cells 99–103, 208
Epilobium 211
ERNST, A. 311, *325*
Eversporting varieties 300, 475
Evolution 463, **479**, 485, 496
Extra chromosome (see also accessory chromosome) 97, 232, 233, 251, 257, 258
EWING, H. E. 174, 181, *198*

Factor constancy 422–428, 490, **491**, 497
FARMER, J. B. 250, *261*
Fat deposition 277, 279, 288, 289
Fecundity **44**, **49**, 331
FEDERLEY, H. 491, 492, *498*
Female flowers, number in Arisarum 331
Feminized male birds **276–294**
Cockerels 278–285 288–294
Drakes **285**–289, 294
FERGUSON, M. C. 310, *325*
Fertility 218, 223, 331, **337**, 354, 449, 520
Fertilization **309–327**
Fiber tracheids, variation in size 218–222
Fibonacci series 91
Ficaria 331, 332, 350
First chromosomes (see also X chromosome and sex chromosome) 147, 440, 453, **461**, **464**
Fission rate
Centropyxis 182, 185, 192, 195
Stylonychia 197, **534–572**
Floury endosperm, maize 600
Flower size 402
Fluctuation 21, 207, 208, 219, 349, 354, **417**, 422–428, 491–494, 566, 574, 577, 579, 581, **599–607**
Formulae
Breeding results
Mendelian inheritance 74–92, 376–395
Mutation crosses 96
Coincidence 140, 142, 151, 153
Correlation 368, 371
Goodness of fit 584, 587
Regression 32
Standard deviation 370, 577
Four cotyledons and four primordial leaves, *Phaseolus vulgaris* 341
Fourth chromosome, Drosophila 453
Fractionation of chromidial body, Difflugia and Centropyxis 197
Fragmentation of chromosomes, Oenothera 231, 233, 235–239, 242–246, **249–254**, 259–266
FRASER, H. C. I. 250, *261*, 320, *325*
Free-martin 294
Fritillaria 311, **312–315**, 318, 320–**324**, 355
Fritillaria imperialis 355
Fritillaria pudica 312, 322
FROST, H. B. *498*
Fruit flies (see Drosophila) 232, 600
Fuchsia 25
Fuchsia macrantha 2
Fuchsia procumbens 2
Fungi, fertilization in 310
Funkia, pairing of chromosomes 320

GAGNEPAIN, F. 16, *26*
GAINES, E. F. 322
Galtonia 320
Galton-Pearson law of ancestral inheritance 198
Gamete lethals 471, 472, 484, 499
Gametogenesis 309
GATES, R. R. 2, *26*, 93, 104, *105*, 232, 234, 246, 250, 251, 252, 255, 257, *261*, 504, 508, *533*
GAUCHERY, P. 208, 209, *224*
Gaura 212
Gaussian hypothesis 141
General size factors 369–374
Genetic fluctuations 198
Genetic impurity, Oenothera 502
Genetic instability 257
Genetic variability **422–491–497**
Genotype conception 423, 428, 497
Germination percentage 507, 510–519, 521, 523, 526–531
Germination pits, pollen 100, 102
Germination rate 363
Gigantism 93–105, 218
GOEBEL, K. 301, *307*
GOLDSCHMIDT, R. 293, *295*, 311, 319, *325*, **411**, *421*, **474**, *498*

Gonadial secretions
Effect on behavior **291**
Effect on growth **287**
Effect on head furnishings **290**
Effect on plumage color 291
Effect on size **289**
Nature of the secretion **292**
Gongylocarpeae 212
GOODALE, H. D. **276**, 277, 282, 290, 291, 292, *294*, *295*
Goodness of fit 574, 584, 586–596, 602–606
GORTNER, R. A. 346, *352*
GOWEN, J. W. 158
GRANTHAM, A. E. 348, *351*
GREEN, J. R. 354, *365*
GREGORY, R. P. 148, *158*
GROFF, F. 348, *351*
Growth factors 367, 368, 374
Growth rate 355
Growth regulation by gonadial secretions **287**, 292
GUIGNARD, L. 311, 321, *325*
Guinea-pigs (Cavia) 276, 277, 287, 288
Gunnera, cell size 208
Gymnosperms, chromosomes in fertilization 310, 318

HALDANE, J. B. S. 574, *597*
HALDANE, N. M. 574, *597*
Half dwarfs, Oenothera 96–98, 104, 105, 211, 212, 214
Half mutant 20, 416
Half race 4, 5, 25
HANCE, R. T. **225**, 227, 232, 244, 249, 250, *261*
HANEL, ELSIE 174, *199*
HANSGIRG, A. *365*
Haploid chromosomes 260, 311
HARPER, R. A. 310, 320, *325*
HARRIS, J. ARTHUR **27**, 29, 30, 47, 54, *71*, *72*, 158, **328**, 329, 331, 337, 341, 346, *351*, *352*, 602, *607*
HAYES, H. K. 321, *325*, 600, *607*
Head furnishings and the gonadial secretions in domestic fowl **290**
Heritable variations in a clone 175, 176
Hermaphrodite flowers, Homogyn **336**, 337
Hermaphrodites 282, 285, 293
Heterogamy, Oenothera 411, 414, 417, 420
Hetero-sexual transplantation 287
Heterosis 221, 223, 304
Heterotypic division 246, 258, 312
Heterozygosis (see heterosis) 221, 223, 304, 425–427, 431, 439, 452, **479**
Hollyhock, doubleness 300
HOLT, C. M. 250, *261*
Homogyne **336**, 350
Homotypic division **246**
Horns 288
HOY, W. E. 249, 250, *261*
HUTCHINSON, A. H. 310, 311, 318, 319, 320, *325*
Hybrid mutants 397
Hybrid species 503
Hydra 174

Immunity 364
Imperfect dominance (see also intermediate F_1) 458, 495, 512
Implantation of ovaries 276–**278**–**283**–294
Impure species 503, 504
Inactivation 481
Inactive condition 405
Inbreeding (see also self-fertilization) 388, **468**, 478
Incompatibility 354, 357–359, 362, 364, 365
Incomplete dominance 428, 453, 460, 466, 495
Incomplete linkage 375–389
Inconstant race 4
Increased variability in F_2 452
Independent factors 274, 573
Individuality of the chromosomes 225, 235, **254**, 255, 260
Individual selection 188, **191**, 196
Infantile characters, domestic fowl, 288
Infertility (see sterility) 434, 447
Inflated wings, Drosophila 157
Inhibition of growth 287
Spurs 292
Inhibiting factors 291, 435, 454, 456, 459
Instability of factors 494
Instincts, domestic fowl 288, 289, 291
Intensification 277, 289
Intensifiers 431, 436, 441, 442, 453–456, 459, 463, 466, 469, 495, 496
Interference 137–141, 440
Intergrades 293, 421
Intermediate F_1 20, 300, 447, 455, 467
Inviability 462, 476
Isogamic species 398, 401, 403, 418
Iterative crosses 518, 519, 528

JANSSENS, F. A. 135, *158*
JENKINSON, J. W. 344, *352*
JENNINGS, H. S. 73, 77, 78, 79, 83, 87, 88, 89, 90, *92*, 174, 176, 181, 197, *199*, 332, 333, 334, *352*, 375, 376, 377, 385, 386, 388, *389*, *498*, 536, 537, *572*
JOHANNSEN, W. 3, 173, 174, 181, *199*
JOST, L. 354, 355, *365*
Juniperus 310
Juvenile characteristics 209, 220, 277

KARSTEN, G. 309, *325*
KEEBLE, F. 96, *106*, 218, *224*
Kidney bean (Vicia) 250
KIRKPATRICK, W. F. **27**, 29, 54, *72*, *352*
KLEBAHN, H. 2
KOPEC, S. 276, *295*
KUWADA, Y. 210, *224*

LA RUE, C. D. 96, *106*, **207**, 210, 212, 215, 221, *224*
LASHLEY, K. S. 174, *199*
Latency 2, 405, 417, 431, 459
Lathyrus 209
Lathyrus odoratus 210
Leaf homologs 340
Leaf size, Oenothera 213, 214
Leguminosae 331

Lethal factors (see also balanced lethals) 397, **422–460–467–468–486–499**
Drosophila 157, 436, 437, **441–453**, 456, 458, **460–467**, 480, 486–490, 496
Mice 427, 460
Oenothera 20, 397, 404–406, 411, 471–473, 477, 497, 498, 499
Stocks (Matthiola) 474–476, 497
LIDFORSS, BENGT 354, 355, 357, *365*
Lilium 311
Lilium martagon 321
Limiting values in Mendelian populations 381, 385, 387, 388, 394–396
Linear arrangement of genes 111, 131, 135, 319, 320, **440**
Linearity (see also regression) 36, 69, 334, 344
Linkage **107–134**, 148, 293, 300, **375–378–381–386–388**, 389, 422–499, 573, 584, 585, 587, 589
Antirrhinum 573
Domestic fowl 293
Drosophila 573
Drosophila melanogaster 422–499, 573, 574, 584, 585, 587, 589
Drosophila virilis **107–134**
Lathyrus 148, 573
Matthiola 573
Mice 574, 582, 587, 597
Oenothera 404
Petunia 300
Primula 148
Rats 573
Silkworms 573
Linkage factor 383, 388
Linkage group 132
Linkage values (see crossover values) 116, 125, 133, 456, 462
LINNAEUS, C. 15
LITTLE, C. C. 577, 579, 580, 581, 582, 583, 584, 588, 589, 590, 591, 592, 593, 594, *597*
LOCK, R. H. 599
Longitudinal division of chromosomes 316–319, 321
Loss mutations 2, 467
LUDWIG, F. 336, *352*
LUTZ, ANNE M. 96, 97, *106*, 228, 229, 231, 251, 252, 253, 254, 255, *261*
Lycopersicon 97
Lycopodium clavatum 208
Lycopodium complanatum 208
Lycopodium Selago 208
Lymantria 293

MACDOWELL, E. C. 367, *374*
Maize 321, 322, 482, 599, 600
Male flowers, in Arisarum 331
Male nucleus 316–319, 322–324, 326
Malnutrition 525, 531, 532
Mammals 287, 573, 574, 584
MANGIN, LOUIS *365*
MARCHAL, ÉL. 93, *106*
MARCHAL, ÉM. 93, *106*
MARTIN, J. N. 356, *365*
Masculinization 294
Mass mutation 19, 20, 26, 397, 404, 419
Mass selection **188–192**, 194–196
MASTERS, M. T. 301, *307*
Mathematics and breeding problems **73–92**, **375–396**
Matroclinic inheritance 10, 19, 213, 221, 223, 501
Matthiola
Cream-colored 475
Double-flowered 474, 477
Linkage 573
Maturation division 482, 585, 587, 588, 590, 591, 592, 595
MAUPAS, E. 535, *572*
MCCLUNG, C. E. 227
Mechanism of crossing over 135, **148**, 149
Mechanism of evolution 174
Meconopsis cambrica 300
MEEK, C. F. U. 250, *261*
MEISENHEIMER, J. 276, *295*
MENDEL, GREGOR, 397, 404, 406, 420
Mendelian heredity and Galton's law 198
Mendelian inheritance 418
Oenothera 1, 397, 402, 404, 406, 418, 420, 421
Mendelian population, fluctuations of sampling in **599**
Meristic differences 211, 212
Merogony 319, 411
Metabolic activity in the female 290
METZ, CHARLES W. **107**, 131, 132, 133, *134*
MEVES, F. 250, *261*
Mice 349, **573–597**, 600–607
Agouti 574–**581**, **590–597**, 600–604
Black 574–579, 581, 583–585, 588, 589–592, 594–597, 600–604
Brown 574–579, 582, 583–592, 595–597, 600, 601
Dark eye 574–579, 582–595, 600–604
Dilution 577, 579, **590**
Gray (see agouti)
Intensity 574, 579, 584, 585, 588, **590**, 594
Intra-uterine mortality 349
Pink eye 574–**585**, 586, 589–592, 595–597, 600, 602
Micro-mutations 198
MIDDLETON, A. R. 174, 197, *199*, 534, 535, 536, 537, *572*
Mildew, double fusion in 310, 320
MINER, J. R. *159*
Mirabilis 209, 478
Mirabilis Jalapa 209
Mitotic abnormalities 486
MIYOSHI, M. 355, 357, *365*
Mnium, gigantism in 93
Modification 110, 456, 489, 535–541–**543–555–558–560**, **563**–573
Modification of crossing over (see also crossover modifiers) 133
Modifying factors (see also inhibitors, intensifiers, etc.) **452**, 456–459, 490
MOLISCH, HANS, 354, 355, 357, *365*
Monohybrid ratios 576, **577**–579, 583
MORGAN, T. H. 111, 116, 132, *134*, 135, 137,

140, 158, *158*, 197, *199*, 287, *295*, 320, 397, 404, 423, 425, 426, 463, *498*
Mosaics 223, 293, 296
Mosquito, chromosomes in 232, 250
MOTTIER, D. M. 321, *325*
MULLER, H. J. 111, 116, 133, *134*, 135, 136 137, 138, 146, 148, 149, 151, 158, *158*, *159*, **422**, 429, 431, 463, *498*
Multiple allelomorphs 426, 455, 466, 493
Multiple chromosome groups (see also tetraploidy) 249, 250
Multiple crossovers (see double crossovers, triple crossovers, etc) 112, **116**, 153
Multiple factors 321–323, 422, 423, 426, 457, 470, 472
Multiple hybrids (see also dihybrid, trihybrid, etc.) 489, 574
MURRILL, W. A. 310, *325*
Mutability 404, 413, 414
Mutation crosses 222
Mutation theory 473, 474
Mutational characters and cell size **93**–105
Mutations 1–26, **93**–105, **156**, 157, 174, 192, 195–198, **207**–226, 244, 257, 397, 416, 419, 436, 439, 452, 459, **460**–467, 473–475, 477, 479–486, 489–491, 497, 499, 501, 504, 517, 524, 532
  Centropyxis 192, 195–197
  Drosophila 107–111, 156, 157, 436, 439, 452, 459, **460**–467, 481, 489, 493–497
  Matthiola 475
  Oenothera 1–26, 97, **207**–226, 244, 257, 397, 406–409, 414–421, 473–475, 497, 499, 501, 504, 517, 524, 532
Mutilated pistils, fertilization in **358**, 359, 363

Nanism (see dwarfs) 209, 210
Narcissus tazetta 355
Natural selection 468, 476, 477, 481, 490, 491, 496, 593, 594
Negative correlation
  Centropyxis 186, 188
  Chelidonium 307
  Drosophila 439
  Fowl (Gallus) 54, 55
  Phaseolus 344
  Spiraea 339
NEMEC, B. 322, *325*
Nicotiana 353
Nicotiana alata 353, 359
Nicotiana angustifolia 353, 356, 359, 361, 362
Nicotiana Forgetiana 353, 356, 359, 360, 361
Nicotiana glutinosa 353
Nigella 209, 218
Non-disjunction 139, 156, 473, 482, 484–486
Non-equivalent gametes 221, 223
Non-Mendelian inheritance 423, 497
Non-viability (see lethal factors) 155, 156
NORÉN, C. O. 310, *325*
Normal curve 493, 494
NORTON, J. B. 300, *307*
Nuclear fusions 310
Nuclear size related to chromosome number 321
Nucleoli 313-317
Numerical results for different systems of breeding 375
Nutrition 219, 338
Nutritional factors 209

Odd chromosome Oenothera 258, 260, 270
Oenothera 209, 211, 234, 311, 319, 320, 471, 475, 477, 492, 497, 499
  Flowers open only sideways 5
  Golden leaves, 416, 417, 421
  Height 214, 219, 223, 224
  Heterogamy 16, 19, 409, 410
  Ineffective selection 173
  Intermediate 15, 17, 18, 21, 24–26, 399, 401, 406, 412, 413, 414, 417, 418
  Linear leaves 407, 418
  Long stigmas 96
  Long style 522
  Mutants 244
  Narrow-leaved 4, 414, 416, 513, 516, 519, 524, 525, 532
  Pale leaves 397
  Reddish mid-veins 412
  Small flowers dominant 415, 418, 421
  Weak form 397
  Yellow flower color 2
Oenothera aberrans 251, 252, 253, 254
Oenothera albida 7, 513–515, 519, 524, 532
Oenothera apetala 3,4
Oenothera atrovirens×*Hookeri* 417
Oenothera aurea 416, 417, 421
Oenothera biennis 1, 2, 4, 15–17, 19, 20, 22, 25, 26, 224, 401, 404, 408, 409, 411–414, 417, 420
Oenothera biennis×*biennis Chicago* 18
Oenothera biennis Chicago 15, 26, 404
Oenothera biennis Chicago×*Hookeri* 417
Oenothera biennis Chicago×*suaveolens* 15, 18, 19, 413
Oenothera biennis×*Hookeri* 410
Oenothera biennis×*Lamarckiana* 21, 22
Oenothera biennis mut. *semi-gigas* 1
Oenothera biennis×*Oenothera syrticola* 409, 420
Oenothera biennis×*suaveolens* 15, 19, 413
Oenothera biennis×*suaveolens* 16
Oenothera (*biennis*×*suaveolens*)×(*suaveolens*×*biennis*) 15, 19
Oenothera biennis sulfurea 8
Oenothera (*biennis*×*syrticola*)×*Hookeri* 410
Oenothera (*biennis*×*syrticola*)×*Oe. biennis Chicago* 410
Oenothera (*biennis*×*syrticola*)×*Oe. Cockerelli* 410
Oenothera bilonga 210–224
Oenothera bilonga×mut. *debilis* 221
Oenothera bilonga×*semialta* 222
Oenothera bilonga×*typica* 222
Oenothera blandina 412, 413
Oenothera brevistylis 404, **501**–518, 520–532
Oenothera (*brevistylis*×*Lamarckiana*)×*brevistylis* 518, 519, 526

Oenothera brevistylis×(*brevistylis*×*Lamarckiana*) 518, 519, 528
Oenothera brevistylis×*Lamarckiana* 512, 515–519, 526, 528
Oenothera brevistylis×(*Lamarckiana*×*brevistylis*) 518, 519, 526
Oenothera (*brevistylis*×*Lamarckiana*)×*Lamarckiana* 518, 519
Oenothera (*brevistylis*×*Lamarckiana*)×(*Lamarckiana*×*brevistylis*) 517, 524, 526
Oenothera Cockerelli 398, 404, 418, 419
Oenothera Cockerelli×*Oenothera suaveolens* 418
Oenothera conica 15, 16
Oenothera debilis 210–214, 216–221, 223
Oenothera debilis×mut.×*bilonga* 221
Oenothera debilis mut. *semialta* 221
Oenothera debilis×*semialta* 222
Oenothera debilis×f. *typica* 221
Oenothera elliptica 515, 525, 532
Oenothera fastigiata 4, 8, 12, 13, 414
Oenothera fastigiata×*suaveolens* 13
Oenothera franciscana 402, 406–408, 411, 412, 419, 420
Oenothera franciscana×*Oenothera biennis* 412, 413
Oenothera franciscana×*Oe. Lamarckiana* 406, 407
Oenothera franciscana×*Oe. Lamarckiana nanella* 406, 407
Oenothera gigas 1, 96–98, 104, 105, 499, 504, 508
Oenothera gigas nanella 416
Oenothera gracilis 15, 18
Oenothera grandiflora 2, 4, 15, 20, 25, 257, 397, 398, 402–404, 406, 419, 420, 498, 499
Oenothera grandiflora×*Oe. franciscana* 403
Oenothera grandiflora×*Oe. Hookeri* 398–402, 405
Oenothera grandiflora×*Oe. Lamarckiana* 20
Oenothera grandiflora mut. *gigas* 1
Oenothera grandiflora mut. *Ochracea* 397
Oenothera Hookeri **397**, 398, 402, 403, 405–414, 417–420
Oenothera Hookeri×*grandiflora* 398, 400 402, 405
Oenothera Hookeri laeta 406
Oenothera Hookeri×*Oe. biennis* 397, 409, 413, 414, 417, 420
Oenothera Hookeri×*Oe. Lamarckiana* 397, 403, 405
Oenothera Hookeri×*Oe. suaveolens* 413
Oenothera jaculatrix 3, 4, 7, 12, 15, 414, 419
Oenothera laeta 20–26, 397–404, 406–408, 419, 421, 498
Oenothera laeta letalis 405
Oenothera laeta×*velutina* 400
Oenothera laevifolia 515, 519, 524, 532
Oenothera Lamarckiana 1–4, 9, 10, 12, 15, 20–22, 24–26, 96, 99, 226, 244, 255–258, 401, 403, 404, 406, 407, 411, 419, 473, 492, 498, 499, **501**, 503, 504, 506–520, 524–532
Oenothera Lamarckiana×*biennis* 21, 411, 413
Oenothera Lamarckiana×*brevistylis* 510–513, 516–520, 526
Oenothera (*Lamarckiana*×*brevistylis*)×*brevistylis* 518, 519, 526
Oenothera (*Lamarckiana*×*brevistylis*)×(*brevistylis*×*Lamarckiana*) 517, 524, 526
Oenothera Lamarckiana×(*brevistylis*×*Lamarckiana*) 518, 519
Oenothera (*Lamarckiana*×*brevistylis*)×*Lamarckiana* 518, 519
Oenothera Lamarckiana×*Hookeri* 405, 419
Oenothera Lamarckiana×(*Lamarckiana*×*brevistylis*) 518, 519
Oenothera Lamarckiana mut. *gigas* 4, 93
Oenothera Lamarckiana mut. *lata* 7, 8, 22, 24, 25, 26, 96, 99, 250, 251, 256, 258, 407, 484, 492, 508, 515, 519, 524, 532
Oenothera Lamarckiana mut. *lata*×*Oe. suaveolens* 22
Oenothera Lamarckiana mut. *velutina* 405, 412 420, 421
Oenothera Lamarckiana mut. *velutina*×*Oe. biennis* 413
Oenothera Lamarckiana nanella 26
Oenothera Lamarckiana×*suaveolens* 20, 24, 25, 413
Oenothera Lamarckiana×*Oe. franciscana* 406, 407
Oenothera Lamarckiana×*Oe. grandiflora* 25
Oenothera lutescens 3, 4, 6–8, 10, 15–17, 19–22, 25, 414, 416, 418, 419
Oenothera lutescens×*suaveolens* 10
Oenothera muricata 15, 409
Oenothera mut. *blandina* 403, 405, 419, 421
Oenothera mut. *fastigiata* 25
Oenothera mut. *gigas* 100, 101–103
Oenothera mut. *jaculatrix* 5, 6, 13, 14, 25
Oenothera mut. *lata*×*suaveolens* 24
Oenothera mut. *latifolia* 97–104
Oenothera mut. *latifolia*×mut. *angustifolia* 98
Oenothera mut. *latifolia*×f. *typica* 98
Oenothera mut. *lutescens* 12, 13, 26, 415
Oenothera mut. *ochracea* 419
Oenothera mut. *velutina*×*Lamarckiana* 405
Oenothera nanella 256, 404, 406, 409, 508, 519, 524, 532
Oenothera oblonga 256–258, 406, 513–515, 519, 524, 532
Oenothera ochracea 398, 404, 498
Oenothera pratincola 94, 96, 97, 99–102, 211
Oenothera pratincola mut. *latifolia* 95
Oenothera pycnocarpa 211
Oenothera Reynoldsii 1, 2, 96, 210–224
Oenothera Reynoldsii mut. *bilonga* 210–224
Oenothera Reynoldsii mut. *debilis* 210–224
Oenothera Reynoldsii typica 223
Oenothera Reynoldsii typica×*bilonga* 222
Oenothera Reynoldsii typica×*debilis* 222
Oenothera Reynoldsii typica×*semialta* 222
Oenothera rubiennis 408, 409, 412, 413, 415–417, 420, 421
Oenothera rubiennis×(*suaveolens*×*Hookeri*) 417
Oenothera rubricalyx 212, 504
Oenothera rubrinervis 504, 508, 519, 524, 532
Oenothera scintillans 225, 226, 228, 229, 231–233, 236, 239, 250, 251, 253–260
Oenothera semialta 210, 211, 213, 214, 216–220, 223
Oenothera semialta×*bilonga* 222
Oenothera semialta×mut. *debilis* 221

Oenothera semialta×*Reynoldsii typica* 222
Oenothera semigigas 97, 99, 105
Oenothera stenomeres 1, 96
Oenothera stenomeres mut. *gigas* 93, 97, 98
Oenothera suaveolens 1, 2, 7, 18, 19, 413, 414, 418, 419
Oenothera suaveolens×*biennis* 15, 16, 19, 20
Oenothera (*suaveolens*×*biennis*)×(*biennis*×*suaveolens*) 15, 18, 19
Oenothera suaveolens×*biennis Chicago* 15, 18, 19
Oenothera suaveolens×*Cockerelli* 418, 420
Oenothera suaveolens×*fastigiata* 13, 14
Oenothera (*suaveolens*×*Hookeri*) *rubiennis*×*Oe. Hookeri* 417
Oenothera suaveolens×*Lamarckiana* 8, 21, 24–26
Oenothera suaveolens×*Oenothera Hookeri* 413, 416, 420
Oenothera suaveolens with *Oe. Lamarckiana* 20
Oenothera suaveolens×*Oe. Lamarckiana nanella* 23
Oenothera suaveolens×*Oe. Lamarckiana* mut. *nanella* 22, 23
Oenothera suaveolens mut. *apetala* 4, 25
Oenothera suaveolens mut. *fastigiata* 10, 11
Oenothera suaveolens mut. *lata* 4–6, 24
Oenothera suaveolens mut. *lutescens* 9, 10
Oenothera suaveolens mut. *sulfurea* 8
Oenothera suaveolens mut. *sulfurea*×*suaveolens* 9
Oenothera suaveolens×*suaveolens* mut. *sulfurea* 8, 9
Oenothera suaveolens×*syrticola* 15, 17, 19
Oenothera sulfurea 2, 4, 10, 25
Oenothera syrticola 15, 17, 18, 26, 404, 409, 411
Oenothera syrticola×*biennis Chicago* 18
Oenothera (*syrticola*×*biennis*)×*Oe. biennis Chicago* 410
Oenothera (*syrticola*×*biennis*)×*Oe. Cockerelli* 410
Oenothera (*syrticola*×*biennis*)×*Hookeri* 410
Oenothera syrticola×*Hookeri* 410
Oenothera syrticola×*Lamarckiana* 22
Oenothera syrticola×*suaveolens* 15, 19, 413
Oenothera syrticola×*Oe. biennis* 409, 420
Oenothera velutina 20–22, 25, 26, 397–408, 419, 420, 498
Oenothera velutina×*laeta* 400
Onagra 1
Onagraceae 211
Origin of species 2
Orobus venus 355
OSTERHOUT, W. J. V. 312
Out-crossed Drosophila 478, 479, 482
Ovarian grafts 294
Ovariotomized pullets 290
OVERTON, E. *325*
Ovule fertility 216
Ovule number 332
Ovule sterility 217

PACE, L. 311, *325*
Pairing of chromosomes 318, 320
Pale yellow flowers in Oenothera 8
Parallel arrangement of chromosomes 232
Parallel mutations 1, 2, 4, 7, 9
Paramecium 197, 332-335, 350
Parasitism 364
Parasynapsis 320, 321
Parent by offspring mating 84, 85, 88
PARK, J. B. 353, 353, *365*
PARKER, G. H. 336, *352*
Parthenogenesis 174
Partial correlation 372
Partial dominance 428, 466, 495
Partial linkage 300, 486, 584
Pathological mitoses 226
Patrocliny 9, 319, 501
PEARL, RAYMOND 27, 28, 56, *72*, 141, 158, *159*, 289, *295*, 329, *352*
PEARSON, K. 47, 141, 144, *159*, 174, 175, 185, *199*, 329, 367, 584, *597*, *598*, 602
PELLEW, C. *498*
PENARD, E. 176, *199*
Permanence of modification 541, 543, 547
Permutations 592
Petal number in Chelidonium 301–306
Petalody 301, 304, 306
Petunia 300
Phascum cuspidatum 93
Phaseolus vulgaris 331, 340–343, 345, 350
PHILLIPS, J. C. 479, 480, *497*, 577, 579, 580, 581, 582, 583, 584, 588, 589, 590, 591, 592, 593, 594, *597*
Physiology of seed production 350
Pig 244, 249, 250
Pine 207, 209
Pinus 310
Pistillate flowers 332, 336, 337
Pisum 209, 210
Place effect 220
PLOUGH, H. H. 133, Corrigenda
Plus modifier 453
POHL, JULIUS 509, *533*
Point mutations 481, 485, 486
Polar nuclei 317
Pollen germination 354, 357, 363
Pollen lethal 474
Pollen size 102
Pollen sterility 24, 257, 356, 511
Pollen-tube growth 353–366
Polymodal 493
Polymorphic groups 210
Pooling of data 577, 584, 585, 590, 593, 605
Population 181-184, 188, 191, 195, 196, 200-202
Potato 174
Prenatal elimination 575, 580, 584, 590
Prenatal selection 575
Prepotency 16
Presence and absence 404
Primary coverts 288
Primary sex characters 293
Primordial endosperm 315
Primordial leaves 340, 342, 350
Primula 209, 218
Primula kewensis 250

Primula sinensis 96, 148
Probable error 577, 579, 581, 583
Probability 141, 601, 606, 607
Probability curve 493
Probability integral 577
Product moments 329, 330
Progressive change 1, 485
Progressive evolution 211, 212, 221, 223, 224
Progressive mutation **207**, 210, 216, 218, 486
Proportionality of parts 332, 351
Protective coat color 593–595
Protective color pattern 582
Protozoans 174
Pseudo cross-fertility 364, 365
Pseudo-fertility 354, 364
Pseudo self-fertility 360
PUNNETT, R. C. 148, *159*
Pure lines 3, 173–175, 181, 185, 190, 196–198
Pure species 257

Quadruple allelomorphism 156
Quadruple hybrids 489, 501, 504
Qualitative variations 491
Quantitative variations 491

Rabbits 287, 367, 368, 373, 374
  Breadth of skull 367, 369, 370
  Femur 369, 372, 374
  General size 370
  Homologous bones 374
  Humerus 367–369, 372, 374
  Length of bones of hind limbs 370
  Length of femur 367, 368
  Length of homologous leg bones 370
  Length of leg bones 370
  Size of skull 368–372
  Tibia 367–369, 372, 374
Rainbow trout 344
Random mating 73, 80, 375, 377, 381, 384, 385, **390**, 393, 395, 396
Random sample 137, 141, 592, 600, 603, 606
Rats 276, 287, 573
  Pink eye 573
  Red eye 573
Reaction system 463
Recessives 212, 349, 350, 466, 467, 480, 483, 496
Recessive mutants 466, 479, 481, 482
Reciprocal hybrids 354, 364, 365, 409, 508, 518, 519, 532
  Chelidonium 301
  Drosophila 471, 472
  Oenothera 13, 16, 398–403, 407–409, 412–414, 419, 499, 508, 511, 512, 516, 518, 519, 524, 530, 531, 532
Recurrence relations 392, 393
Reduction division 247, 250, 260, 309–311, 319, 321
Reduction of nutrition 218
Regenerated ovary 291
Regenerating tissues 225
Regression 329, 330, 334, 339, 340, 344, 345, 425
  Centropyxis 174
  Domestic fowl 34–36, 38, 64–70
  Oenothera 523
Regression equation 32, 33, 340, 341, 344
Regression line 37, 66, 335, 343
Regulatory effect 287
REMICK, B. L. 395, *396*
RENNER, O. 311, *327*, 397, 411, *421*, 499
Repulsion 587, 588, 590
Retrogressive evolution 210, 211, 221, 223, 224
Retrogressive mutation 1, 210
Reversion 216, 425, 426, 435, 449
Reverse mutation 449, 480
RIDDLE, O. 293, *295*
RITTINGHAUS, P. 354, *365*
ROBBINS, RAINARD B. **73**, 77, *92*, **375**, 375, 388, *389*, **390**, 395, *396*
ROBERTS, E. 573, 600, 606, *607*
Robinia 331, 332
ROOT, F. M. **173**
Root tips 231, 232
ROSE, J. N. 212, *224*
Rusts 310

SACHS, J. 104, *106*, 207, 208, 209, 211, 212, *224*
Salamander 250
Sampling 574, 577, 581, 585, 589, **599**, 600, 602, 604–607
Sanguinaria 331
SANIO, KARL 207, 208, 209, 220, *224*
SARGANT, E. 321, *327*
SAUNDERS, E. R. 300, 301, *307*, 474, 475, *498*
SAX, KARL **300**, **309**, 311, 314, 318, *327*
SCHAUDIN, F. 178, 179, *199*
SCHNEGG, H. 208, *224*
SCHOUTEN, A. R. 508, *533*
Secondary mutability 411
Secondary mutation 26
Secondary sexual characters 276, 277, 285, 288, 289, 293, 294
  Guinea-pigs 276, 277
  Rats 276, 277
Second chromosome, Drosophila 146–148, 150–153, 158, 427, 429, 431, 436, 440, 453, 454, 456, 462, 481, 495
Second moment 330
Secretion of the gonads 287, 292
Sectorial chimaera 223, 224
Seed number 332
Seed sterility 3, 26, 397, 400, 403–405, 507, 520, 527
Seed viability 350, 499, 514
Segregation 300, 301, 309, 319, 422, 442, 469, 474, 482, **501**, 505, 508, 511, 512, 514–518, 524–526, 528, 530–532, 574
Segregation of chromosomes 315
Segmentation of the chromosomes **311**, **319**
Segmentation of the spireme **314**, **316**, **324**
Selection
  Centropyxis 175, 176, 188–192, 196
  Domestic fowl 42, 43, 71
  Drosophila 425, 426, 435, 436, 451, 452, 468, 475, 477–481, 483, 485, 486, 494
  Mice 582, 593, 595
  Oenothera 516, 520, 521, 524, 532

Stylonychia 535, 537
Selection of dominants 381, 384
Selective elimination 349, 468, 482, 503, **574**–576, 579–581, 583, 584, 588, 589, 591, 593, 595, 600
Selective fertilization 349, 360, 447, 476
Self-fertility 353
Self-fertilization 353, 359, 386, 388
Selfings 361, 363
Self-sterility 97, 98, **353**, 356–359, 364
Seminal fluid 284
Semi-lethal 434, 435, 464, 472, 491, 496, 498
Sesquireciprocal 518, 519
Sex 188, 189, 260 276, 277, 279, 280, 282, 293, 336, 350, 367, 369, 600
Sex chromosomes 133, 138, 139, 146, 151–154, 156, 157, 464, 465, 483, 492
Sex determination 251, 294, 483
Sex differentiation 504
Sex factor 474, 483, 492
Sex intergrades 294
Sex-linked factor 77, 83, **107**, 110, 111, 132, 137, 139, 154, 156, 157, 460, 464, 465, 486, 496, 574
Sex ratios 139, 350, 464
Sheppard's correction 348
Shortened styles 359
SHULL, G. H. 181, *199*, 504, 510, 512, 514, 526, 528, 530, *533*
SIERP, H. 209, 218, 220, *224*
Silkworms 573
Simocephalus 293
SIMON, EUGÉNE 2
Singleness, in Chelidonium 300, 301, 474
Sister by brother mating **390**
Size 277, 288, 294
Size of body as a whole 374
Size characters 210
Size factors **367**, 371, 373
Size of flowers 401, 402
Size and the gonadial secretions 289
Size of litter 336
Skewness 359
Small mutations 465
SMITH, J. DONNELL 212, *224*
Snapdragons 573
SNELL, J. 250, *261*
Solanum, 97, 209, 210
Solanum Lycopersicum gigas 93
Solanum nigrum gigas 93
Solanum tuberosum 210
Somatic chromosome **225**, 226, 229
Somatic mutation 211
Somatic non-disjunction 231
Somatic pairing of chromosomes 321
Somatic segregation 197, 425, 474, 476
Somatic variability 427, 428, 457
Species cross 498
Species hybridity 499
Spermatozoa 284
Spindle multipolar 315
Spiral tracheids 218
Spiraea 340, 350
Spiraea Vanhouttei 337
Spirogyra 309
Splitting (see segregation) 397, 400–405, 408, 409, 412, 414, 415, 417, 419–421, 469
Splitting of stamens 304
Spore mother cells 321
Sporogenesis 309, 320
SPRUNT, A. D. 574, *597*
Spurious correlation 44, 45, 70
Spurious mutation 473, 475
Spurs 277
  Gonadial secretions 290
Stamen number 301–306
Standard deviation 301–306, 370
Stangeria 320
Stangeria paradoxa 311
Staphylea 331
Starchy endosperm 321
Statistical methods 180, 329
Stature in man 367
Stature in Oenothera 213
STEINACH, E. 276, 277, 287, *295*
Sterile spikelets in wheat 351
Sterility
  Drosophila 139, 140, 435, 462, 463, 474–478, 487
  Nicotiana 354
  Oenothera 97, 216, 218, 223, 257, 502–504
  Wheat 348
Sterilizing factor 476
STINGL, G. 322, *327*
Stippling in domestic fowl 283, 292
STOCKARD C. R. 276, *295*
STOCKING, R. J. 174, 197, *199*
Stocks, 477, 573
STOMPS, T. J. 2, 97, *106*
STOUT, A. B. 174, 197, 199, 355, 356, 364, *365*
Straight-line growth curves 362
Straight-line regression 64, 65, 67, 68, 342, 363
STRASBURGER, E. 208, *224*, 321, *327*, 354, *366*
Structural characters 176
Struggle for existence 484
STUART, W. 337, *352*
STURTEVANT, A. H. 107, 111, 116, 133, *134*, 135–138, 146, 148, 151, *158*, *159*, 428, 429, 431, 463, *498*
Style length, Oenothera 520, 521, 523, 524, 532
Stylonychia 197
Stylonychia pustulata **534**, 535, 538, 547, 554
Sucrose content 346, 347, 348, 351
Sugar beets 346, 347, 351
Supernumerary chromosomes 232
SURFACE, F. M. 28, 56, *72*
Survival 485
Sweet-peas 148, 573
Sweet William 300
Swine 336, 350
Symmetry 577
Synanthies 338
Synapsis 135, 481, 482
Synapsis factors 482
Synaptic attraction 482, 483, 484

Taxonomic changes 4

Taxonomic mutations 2
Technique 3, 111, 117, 177, 180, 218, 312, 329
  Mice 574
  Nicotiana 356, 359
  Oenothera 99, 216, 218, 227, 228, 233, 234, 408, 503, 505, 506
  Stylonychia 536, 537
Telosynapsis 320, 321
Temperature differences 534
Temperature, effect on crossing over 133
Tetraploidy 93, 97, 104, 105, 473, 484–486, 499
Thalictrum 320
Third chromosome, Drosophila 148, 152, 427–429, 431, 436, 437, 439, 441, 453, 454, 459, 462, 469, 473, 481, 495
THOMAS, N. 250, *261*
Ticking in guinea-pigs 576
TOKUGAWA, Y. 354, 356, *366*
TOMASCHEK, ANTON *366*
Total solids 346–348, 351
Tracheids 207
Transitory rosette 220
Transplantation, heterosexual 287
Trifolium pratense quinque folium 5
Trihybrid ratio 576, 590, 591, 593–595
Triple crossing over 111, 126, 128, 129, 140 149–151, 153, 159, 440
Triple fusion 312, 314, 315, 317, 318, 321, 323, 324, 326
Triple hybrids 488, 489, 501, 504
Triploid 97
Triticum (see also wheat) 312, 318, 320, 323, 326
Triticum durum hordeiforme 312, 322
Trout 344, 350
  Growth stages 344
  Length of head 344
  Length, total 344
Truncate wings, Drosophila 423
Tsuga 310
Tubers 174
TUPPER, W. W. 93, 93, 104, *106*, 209, corrigenda
Twins 398–400, 403, 404, 407, 413, 421
Twin hybrids 23, 26, 221, 222, 397, 419, 422, 468, 469, 471, 473, 475, 497–499, 501, 504
Twisting of the chromosomes 135, 146, 148–150, 158

Unconformable cases 423
Unilateral splitting 403, 409, 419, 420
Unisexual cross 404, 405
Unit character 288
Unlike reciprocals 365
Unpaired characters 404
Unstable mutants 255

VAN OVEREEM, C. 7
VAN TIEGHEM, PH. 354, *366*
Variable race 350
Variation 306, 344, 346, 374
Variation in cell size 210
Variation in chromosome number 225
Variability of linkage 148
Variation in length 235, 236, 241, 249, 363
Variation in ratios 525
Variegated corn 494
Varying dominance 437
Vegetative cycle 554
Vegetative fission 571
Vegetative reproduction 174, 179, 559
Vegetative vigor 214, 217, 338, 531
Viability 140, 146, 337, 349, 440, 447, 461, 470, 475, 477, 496
Vicia faba 250
Vicinism 9
Vigor of heterozygosis 221
Voice in ducks 285–288

WALKER, L. T. 174, *199*
Waltzing mice 601
WARNER, C. D. 29, 54, *72*
W chromosome 483
Weak seedlings 514, 517, 518
WEBER'S law 356
WEINSTEIN, ALEXANDER 135
Welsh poppy 300
WENRICH, D. H. 588, *598*
WENTWORTH, E. N. 395, *396*
Wheat 315, 318, 322, 348, 351
  Varieties
    Bearded 348
    Kunbanka 312, 322
White leghorn fowl 28, 29, 30, 40, 45, 69
White mid-veins 18
WHITING, P. W. 232, *261*
WINKLER, HANS 93, 97, 105, *106*
WINSLOW, C. E. A. 174, 199
Wood cells 209
WOODRUFF, L. L. 535, *572*
WRIGHT, S. 141, *159*, 367, 573, 574, *597*

X chromosome 131, 464, 465, 485, 496
XO male 492
x^2 test 144

Y chromosome 131, 464, 483, 484, 496
Yellow flowers, Oenothera 407
Yellow ear lobes, fowl 53
Yellowish green foliage, Oenothera 9, 406
Yellow mice 425, 427, 443, 460, 482, 495
Yucca 320
YULE, G. U. *159*, 349, *352*, 599, 603, *607*

Zea 209, 210
Zygospore 309
Zygotic segregation 319, 323